

REPORT SUMMARY SHEET

BOARD MEETING DATE: May 21, 2018

TITLE AND BRIEF DESCRIPTION: Bus Bids

BACKGROUND:

The Eldon School District has traditionally purchased two used buses every year. We advertised for two weeks and received two proposals.

Central State Bus Sales, Blue Bird Bus - \$80,350

Midwest Transit Equipment, IC/CE Bus - \$77,651

Included in the packet is information about the buses.

RECOMMENDATION:

Our committee included Clare Herriman, Roger Hendricks, Nathan Shepherd and Matt Davis. We are recommending approving Midwest Transit Equipment proposal with the camera system and the hydraulic brakes. The cost of purchasing two buses would be \$155,302.

RESPONSIBLE PERSONS: Matt Davis

SUPERINTENDENT'S APPROVAL:

Matt Davis

For the purpose of submitting report

Bus Quotation – 70 Passenger – NEW BUILT TO ORDER

Prepared For: Eldon R-1 School District
 112 South Pine Street
 Eldon, Mo. 65026

***** New Proposal 11208-01*****

NEW 2019 IC/CE 70 Passenger – PSI 8.8 Liter, **Air Brakes**
 265HP@ 2600 RPM /548 FT LB Torque, 5.86 Gear Ratio, Allison 2500 Series 6 Speed Transmission
 Price..... **\$76,693**

***** New Proposal 11208-02*****

NEW 2019 IC/CE 70 Passenger – PSI 8.8 Liter, **Hydraulic Brakes**
 265HP@ 2600 RPM /548 FT LB Torque, 5.86 Gear Ratio, Allison 2500 Series 6 Speed Transmission - *Yes*
 Price..... **\$76,316**

<i>Seven (7) Year/Unlimited Mileage</i> Transmission Allison 2500 Series Warranty	Included
<i>Seven (7) Year /Unlimited Mileage</i> Engine Warranty	Included
Two Year / 50,000 Mile Body and Chassis Warranty - <i>See Five (5) Page Detailed Addendum of all Parts Covered During warranty period</i>	Included
Headliner Fastened with Rivets	Included
Stepwell Insulation	Included
Tinted 28% Laminated Passenger Windows	Included
Winter White Roof	Included
Fuel Tank 100 Gallon	Included
Low Profile Strobe Light	Included
Rosco Openview Heated Rearview Mirrors	Included
Crossview Heated Rosco Mirrors	Included
28% Tinted Laminated Passenger Windows	Included
Full Length Perforated Headliner	Included
Tilt/Telescoping Steering	Included
AM/FM/MPLX/PA with 8 Speakers	Included
6x30 Interior Visor over Driver Window	Included
39x39x10 Storage Compartment over Driver Window with Dome Light	Included

Optional Equipment

REI Camera System 2 – SD40, 2 Camera Heads w/Event Marker	\$1,335 - <i>Yes</i>
Double Door Luggage Box 114x24x22 with Gas Struts	\$825 - <i>No</i>

FOB: Eldon, MO

Estimated Delivery: 120 days from receiving signed Purchase Confirmation

- Credit Cards are not accepted for payments for New/Used bus purchases
- Price is good for 30 days
- Payment on delivery
- Licensing & Tags Are Not Included

Submitted By:

Joe Crabtree

5/11/2018

Regional Sales Manager
Midwest Transit Equipment, Inc.

Confirmation to Purchase:

Number of Units

Print Name and Title

Total purchase price with options

Signature

Date: You expect to take delivery

Eldon R-1 School District

CHASSIS SPECIFICATIONS:

Comments/Exceptions

***Any deviations from the specifications must be clearly stated in the space provided.**

2019 Model Year Conventional style school bus chassis	YES
Wheelbase, 273" axle to axle w/ 50 degree wheel cut	YES
Three-valve 6.8L V10 gasoline powered engine – 320 HP	8.8 Liter 265HP with 548 Ft LB Torque
<hr/>	
Engine you are bidding must have been used in "On-Highway" applications for a minimum of Ten (10) Years – No Exceptions	Neither BB or IC Engine has been on road for 10 years in School Bus Medium Duty Chassis
*List number of years your Engine has been used in On-Highway applications	# of Years: 4 years
<hr/>	
5 Year Unlimited Mile engine warranty	7 Years / Unlimited Mileage
<hr/>	
Road Speed maximum to be set at 75 MPH – list max road speed:	Yes
Cruise Control	Yes
Electronically Controlled Viscous Fan Clutch	Yes
Stainless Steel 16 Gauge 4" Exhaust exiting LH side Forward of the Rear Wheels - No Exceptions	Yes
Ford 6R140 6 speed Automatic Transmission	No - Allison 2500 6 Speed
5 Year Transmission Warranty	7 Year /Unlimited Mileage Warranty
12,000 lb. minimum capacity front axle	10,000
10,000 lb. minimum capacity parabolic front springs	Yes
21,000 lb. minimum capacity rear axle w/ 5.29 ratio – No Exceptions	Yes - 5.83 ratio
21,000 lb. minimum capacity 2- Stage Rear Springs – No Exceptions	Yes
Oil Filled Front Hubs	Yes
Tilting & Telescoping Steering Column – No Exceptions	Yes
240 amp Leece-Neville Alternator, minimum – No Exceptions	Yes
Triple Group 31 batteries w/ 2850 CCA – No Exceptions	Yes
Battery Cables to be completely loomed	Yes

Eldon R-1 School District

Locking Battery Box Door	Yes
Meritor 70mm 4-Pod Hydraulic Disc Brakes w/ ABS, & dust shields	Yes
100 gallon Fuel Tank, mounted BFR	Yes
Fuel Gauge Sender Inspection Plate over center aisle	Yes
Locking Non-Spring Loaded fuel tank door	Yes
Hankook 16 ply 11R22.5 Tread front-tires – No Exceptions	Yes
Hankook 16 ply 11R22.5 Traction Tread rear tires – No Exceptions	Yes
8.25 x 22.5 Hub Piloted Disc Wheels – painted black	Yes
Front & Rear Tow Hooks	Yes
Front & Rear Mud Flaps w/ Flaps in front of the Rear Wheels	Yes
Rear Rubber Fender Flares	Yes
4-Wheel alignment certification to be included in the bus	Yes
Front & Rear tires are to be factory balanced	Yes

BODY SPECIFICATIONS:

Comments/Exceptions

***Any deviations from the specifications must be clearly stated in the space provided.**

2019 model year conventional style school bus body	Yes
70 passenger seating capacity	Yes
77" interior headroom throughout	78"
Minimum 33'03" body length, for maximum knee clearance and passenger comfort – No Exceptions	Yes
Individual Embossed Rain Visors above each side window	Exclusive to Blue Bird. IC Bus is Full Length of Bus
Four (4) Exterior Rub Rails	Yes
Wrap Around Rear Corner Seat Rail and Floor Rub Rails	Yes

Eldon R-1 School District

20 Gauge Fluted Exterior Side Panels – No Exceptions IC Bus is 16 Gauge

Upper and Lower Body Bow Inserts installed in all bows, front to rear, from top of floor gusset to top of floor gusset Yes

Insulation complete - Including all corners -- installed in roof, front & rear roof caps, inside the body bows & additional insulation in driver's area Yes

Interior front panel over driver must be a minimum of 18 gauge steel. The interior front overhead panel must not be made of plastic. List type of material used: Yes/ Steel

Two (2) Spheros-brand roof vent/escape hatches—No Exceptions This is Exclusive with Blue Bird
IC Bus uses Transpec and SMI
the same company that Manufactures
Stop Arms and Crossing Gates

Full Length Acoustical Headliner; attached with rivets Yes

Sound Deadening Spray over all interior panels Yes

Electric Operated outward opening entrance door Yes

Rear Bumper, a full 12" width after forming, 3/16" steel Yes

Entrance & Emergency Door Vandal Locks Yes

Rear center emergency door w/ retainer & exterior greasable hinges IC Bus uses Internal Hinges away from the
Outdoor Elements with Zinc Serviceable Fittings

Tinted and Laminated "roped in" Front windshield, in Four (4) piece design for replacement cost savings, tinted & laminated w/ dark shaded top band 3 Piece Windshield with NO CENTER POST to obstruct
Drivers view out the Windshield. Cost for Windshield is
under \$140

Black grip handles under the front windshield LH & RH Yellow

Folding cowl mounted assist steps on each side of the bus Yes

Intermittent/wet arm w/s wipers --Mounted under the w/s Yes

White Painted Exterior Roof Yes

Factory Dark Tinted side windows Yes

Factory Dark Tinted upper & lower in rear emergency door Yes

Factory Dark Tinted Rear Vision Window Glass Yes

Aluminum Frame around Driver's Sliding Window Yes

Four (4) hinged push-out emergency exit windows Yes

Eldon R-1 School District

High Back Seats & Barriers w/ Brown Fire Block Upholstery	Yes
All Seats are to have a ½" 5 ply CDX plywood base	Yes
Modesty Panel below the LH & RH side barriers	Yes
National Brand High Back Driver's Seat w/ Brown Cloth Upholstery and Right Hand Armrests	Yes
Adjustable height seat belt retractor for driver's seat	Yes
Black Neoprene Header Pads above entrance & emergency doors	Brown
Black Rubber Floor Covering w/ ribbed aisle	Yes
Black Rubber Ribbed step treads in the Step Well w/ White Nosing on the front of each step	Yes
Black ABS wheel house covers	Yes
DUAL Stainless Steel Hand Rails LH & RH sides of the Stepwell	Yes
5/8" Treated Grade Plywood Sub-Floor – No Exceptions	Yes
Aluminum aisle trim over all rubber floor seams	Yes
Galvanized steel cove molding at all floor to side wall joints	Yes
90,000 BTU left front heater and defroster	Yes
50,000 BTU step well heater	Yes
80,000 BTU rear under seat heater LH side, with two (2) two speed blowers mounted off the floor for ease of cleaning	Yes
Heater Booster Pump in Engine Compartment	Yes
Constant Torque Clamps are to be used at all joints within the body heater system w/ Premium Heater Hose	Yes
Dual Heater water cut-off valves at the engine	Yes

Eldon R-1 School District

Two (2) auxiliary two-speed defroster fans located Center And LH corner of front windshield	Yes
4 inch combination rear top and tail lights	Yes
7 inch rear back-up lights	Yes
7 inch combination rear stop & tail lights	Yes
7 inch rear turn signals with amber lenses	Yes
Front fender mounted turn signals with amber lenses	Front Cowl
Side turn indicators mounted with shield on each side	Yes
LED Flush Mounted marker and cluster lights, front and rear roof caps and both sides of roof	Yes
All Lights are to be equipped with "plug-in" connectors	Yes
Interior & Exterior Step Well Lights	Yes
Dual Row 15 Candlepower Interior dome lights with with two (2) separate switches,(front & rear)	Yes
Driver's dome light on a separate switch	Yes
8 light sequential warning system with one hood over Each of the amber/red combination lights	Yes
DUAL Reflective Electric Operated stop arms w/ LED Lights -- No Exceptions	Yes
Electric Operated Crossing Control Arm mounted on the front bumper w/ Cancel Switch	Yes
Power Port in driver's compartment	Yes
Backing Horn	Yes
Noise Suppression Switch in Driver's Area	Yes
Pull-Out Cup Holder in the Driver's Compartment	No -Molded into Left Hand Glove Box
Storage Box w/ Padded Lid in LH switch panel	Yes
Dual Body solenoid switches	Yes

Eldon R-1 School District

Roof Mounted strobe light	Yes
AM/FM/MP3/USB Stereo w/ PA microphone & 8 speakers	Yes
Automatic "Pre-Trip" Exterior Light Check Feature	Yes
Heated Dual Head exterior rearview mirrors, each mirror measuring a minimum of 7 3/8"	Yes
Heated Crossview mirrors w/ blacked out upper band to reduce glare to driver	Yes
Exterior electrical access panel, located below driver's sliding Window, w/ locking latch	Yes
Roscoe 6" X 30" padded interior rearview mirror	Yes
6" X 30" tinted plexiglass sun visor with black vinyl padded edge, over LH front w/s	Yes
Adjustable tinted Plexiglas sun visor over driver's window	Yes
5 lb. fire extinguisher with hose; floor mounted in driver's area	Yes
First aid kit; bracket mounted on front header panel	Yes
Emergency triangular warning device kit floor mounted In LH rear corner of the bus; against the rear wall	Yes
Body-fluid clean up kit; bracket mounted on front header	Yes
Locking Storage Box located above the driver's sliding window	Yes
School lettering for belt line on both sides in 5" black vinyl letters, to read "ELDON R-1 SCHOOL DISTRICT"	Yes
All other required lettering and fleet numbers in four places	Yes
3M Diamond Grade Reflective Tape extending down both sides, on the rear both vertically and horizontally and "SCHOOL BUS" lettering on front and rear – No Exceptions	Yes
2 Year Unlimited Mileage "Bumper to Bumper" Body & Chassis Warranty Parts & Labor included – Provide Warranty Documentation w/ bid No Exceptions	Yes

No - IC Bus provides a 2 year / 50,000 Miles Body and Chassis Warranty with a 5 page detailed Addendum of every part covered. See inside Bid Packet

Central States Bus Sales, Inc.
1200 Sugar Creek Square, Fenton MO 63026
636-343-6050 • FAX: 866-300-8893 • 800-825-8273
www.centralstatesbus.com

"The Bus Experts"

April 6, 2018

Eldon R-I School District
Attention: Matthew Davis, Superintendent
112 S Pine St.
Eldon, MO. 65026

Dear Mr. Davis:

I'm happy to help you with your school transportation needs. Blue Bird School Buses are unsurpassed in Quality, Durability, and Built-In Safety Features.

In accordance with your request, I have prepared a proposal for your consideration. These units are built on the Blue Bird chassis with a 320HP Roush V-10 Gasoline engine and is equipped with a 71 or 54 passenger Blue Bird Conventional bodies. These units are equipped to meet or exceed all state and federal specifications and include the equipment that you requested. Please see attached pages for all of the Bid Specifications and price page.

All prices are subject to availability and change without written notice.

Trade ins must be in good operating condition, no major body damage and a current safety inspection sticker at time of delivery.

The terms of this bid requires payment due upon the delivery and acceptance of the new bus. An invoice would be submitted prior to delivery to enable the preparation of payment.

I appreciate your business. If you have any questions or require additional information, please feel free to contact me by phone at (314) 221-5905 or by e-mail at dvahey@centralstatesbus.com. Thanks again, and I hope to be hearing from you soon.

Sincerely,



Derek Vahey
Regional Sales Manger
Central States Bus Sales, Inc.

DV:lam

Enclosures

Eldon R-1 School District

CONVENTIONAL TYPE "C"
70 PASSENGER SCHOOL BUS SPECIFICATIONS
GASOLINE POWERED

GENERAL REQUIREMENTS

1. Body company distributors will maintain at all times a complete service facility including, but not limited to: repair or replacement parts inventory, factory trained service personal, 800 phone number for toll free calls, facilities in the State of Missouri to perform complete body & chassis warranty and/or repair services. Please list your 800 phone number: 800-825-8273
2. Bids will include delivery of the completed units to the Eldon R-1 School District, in Eldon, Missouri and be completely serviced before delivery. This service will include: complete chassis and complete body inspection by body distributor. Units will be full of all fluids, completely cleaned inside and outside, all optional equipment installed and working properly.
3. The equipment proposed must meet or exceed all requirements set forth in the Missouri Minimum Standards for School Buses and Federal Motor Vehicle Safety Standards established by the Federal Department of Transportation.
4. Any and all exceptions to the specifications outlined herein must be noted and thoroughly explained in the bid proposal. The bidder must provide, with any exceptions, detailed specifications so the Board Of Education can make the necessary comparisons to enable a proper decision. These specifications must be returned with the bid proposal. The bidder also must sign the bottom of the price page, or their bid will be rejected for non-compliance.
5. The Board Of Education reserves the right to reject any or all bids, to waive any and all technicalities and to award the contract to the best bidder.

Name of Dealer Central States Bus Sales, Inc.

Signed By  Title Regional Sales Manager

Address 2450 Cassens Dr.

City, State and Zip Fenton, MO. 63026

Eldon R-1 School District

CHASSIS SPECIFICATIONS:

Comments/Exceptions

***Any deviations from the specifications must be clearly stated in the space provided.**

2019 Model Year Conventional style school bus chassis _____

Wheelbase, 273" axle to axle w/ 50 degree wheel cut _____

Three-valve 6.8L V10 gasoline powered engine – 320 HP _____

**Engine you are bidding must have been used in "On-Highway" applications
for a minimum of Ten (10) Years – No Exceptions**

*List number of years your Engine has been used in
On-Highway applications # of Years: 13 Years

5 Year Unlimited Mile engine warranty _____

Road Speed maximum to be set at 75 MPH – **list max road speed:** 75 MPH

Cruise Control _____

Electronically Controlled Viscous Fan Clutch _____

**Stainless Steel 16 Gauge 4" Exhaust exiting LH side
Forward of the Rear Wheels - No Exceptions** _____

Ford 6R140 6 speed Automatic Transmission _____

5 Year Transmission Warranty _____

12,000 lb. minimum capacity front axle _____

10,000 lb. minimum capacity parabolic front springs _____

21,000 lb. minimum capacity rear axle w/ 5.29 ratio – No Exceptions _____

21,000 lb. minimum capacity 2- Stage Rear Springs – No Exceptions _____

Oil Filled Front Hubs _____

Tilting & Telescoping Steering Column – No Exceptions _____

240 amp Leece-Neville Alternator, minimum – No Exceptions _____

Triple Group 31 batteries w/ 2850 CCA – No Exceptions _____

Battery Cables to be completely loomed _____

Eldon R-1 School District

Locking Battery Box Door	_____
Meritor 70mm 4-Pod Hydraulic Disc Brakes w/ ABS, & dust shields	_____
100 gallon Fuel Tank, mounted BFR	_____
Fuel Gauge Sender Inspection Plate over center aisle	_____
Locking Non-Spring Loaded fuel tank door	_____
Hankook 16 ply 11R22.5 Tread front tires – No Exceptions	_____
Hankook 16 ply 11R22.5 Traction Tread rear tires – No Exceptions	_____
8.25 x 22.5 Hub Piloted Disc Wheels – painted black	_____
Front & Rear Tow Hooks	_____
Front & Rear Mud Flaps w/ Flaps in front of the Rear Wheels	_____
Rear Rubber Fender Flares	_____
4-Wheel alignment certification to be included in the bus	_____
Front & Rear tires are to be factory balanced	_____

BODY SPECIFICATIONS:

Comments/Exceptions

***Any deviations from the specifications must be clearly stated in the space provided.**

2019 model year conventional style school bus body	_____
70 passenger seating capacity	_____
77" interior headroom throughout	_____
Minimum 33'03" body length, for maximum knee clearance and passenger comfort – No Exceptions	_____
Individual Embossed Rain Visors above each side window	_____
Four (4) Exterior Rub Rails	_____
Wrap Around Rear Corner Seat Rail and Floor Rub Rails	_____

Eldon R-1 School District

20 Gauge Fluted Exterior Side Panels – No Exceptions _____

Upper and Lower Body Bow Inserts installed in all bows, front
to rear, from top of floor gusset to top of floor gusset _____

Insulation complete - Including all corners – installed in roof, front & rear roof caps,
inside the body bows & additional insulation in driver's area _____

Interior front panel over driver must be a minimum of 18 gauge steel. The interior front
overhead panel must not be made of plastic. List type of material used: _____

Two (2) Spheros brand roof vent/escape hatches – No Exceptions _____

Full Length Acoustical Headliner; attached with rivets _____

Sound Deadening Spray over all interior panels _____

Electric Operated outward opening entrance door _____

Rear Bumper, a full 12" width after forming, 3/16" steel _____

Entrance & Emergency Door Vandal Locks _____

Rear center emergency door w/ retainer & exterior greasable hinges _____

Tinted and Laminated "roped in" Front windshield, in Four (4) piece design
for replacement cost savings, tinted & laminated
w/ dark shaded top band _____

Black grip handles under the front windshield LH & RH _____

Folding cowl mounted assist steps on each side of the bus _____

Intermittent/wet arm w/s wipers –Mounted under the w/s _____

White Painted Exterior Roof _____

Factory Dark Tinted side windows _____

Factory Dark Tinted upper & lower in rear emergency door _____

Factory Dark Tinted Rear Vision Window Glass _____

Aluminum Frame around Driver's Sliding Window _____

Four (4) hinged push-out emergency exit windows _____

Eldon R-1 School District

High Back Seats & Barriers w/ **Brown Fire Block Upholstery** _____

All Seats are to have a ½” 5 ply CDX plywood base _____

Modesty Panel below the **LH & RH side barriers** _____

National Brand High Back Driver’s Seat w/ **Brown Cloth Upholstery and Right Hand Armrests** _____

Adjustable height seat belt retractor for driver’s seat _____

Black Neoprene Header Pads above entrance & emergency doors _____

Black Rubber Floor Covering w/ ribbed aisle _____

Black Rubber Ribbed step treads in the Step Well
w/ White Nosing on the front of each step _____

Black ABS wheel house covers _____

DUAL Stainless Steel Hand Rails LH & RH sides of the Stepwell _____

5/8” Treated Grade Plywood Sub-Floor – No Exceptions _____

Aluminum aisle trim over all rubber floor seams _____

Galvanized steel cove molding at all floor to side wall joints _____

90,000 BTU left front heater and defroster _____

50,000 BTU step well heater _____

80,000 BTU rear under seat heater LH side, with two (2) two
speed blowers mounted off the floor for ease of cleaning _____

Heater Booster Pump in Engine Compartment _____

Constant Torque Clamps are to be used at all joints within the
body heater system w/ Premium Heater Hose _____

Dual Heater water cut-off valves at the engine _____

Eldon R-1 School District

- Two (2) auxiliary two-speed defroster fans located Center
And LH corner of front windshield _____
- 4 inch combination rear top and tail lights _____
- 7 inch rear back-up lights _____
- 7 inch combination rear stop & tail lights _____
- 7 inch rear turn signals with amber lenses _____
- Front fender mounted turn signals with amber lenses _____
- Side turn indicators mounted with shield on each side _____
- LED Flush Mounted marker and cluster lights, front and rear
roof caps and both sides of roof _____
- All Lights are to be equipped with “plug-in” connectors _____
- Interior & Exterior Step Well Lights _____
- Dual Row 15 Candlepower Interior dome lights with
with two (2) separate switches,(front & rear) _____
- Driver’s dome light on a separate switch _____
- 8 light sequential warning system with one hood over
Each of the amber/red combination lights _____
- DUAL Reflective Electric Operated stop arms
w/ LED Lights – No Exceptions _____
- Electric Operated Crossing Control Arm mounted on the front bumper
w/ Cancel Switch _____
- Power Port in driver’s compartment _____
- Backing Horn _____
- Noise Suppression Switch in Driver’s Area _____
- Pull-Out Cup Holder in the Driver’s Compartment _____
- Storage Box w/ Padded Lid in LH switch panel _____
- Dual Body solenoid switches _____

Eldon R-1 School District

- Roof Mounted strobe light _____
- AM/FM/MP3/USB Stereo w/ PA microphone & 8 speakers _____
- Automatic "Pre-Trip" Exterior Light Check Feature _____
- Heated Dual Head exterior rearview mirrors, each mirror measuring a minimum of 7 3/8" _____
- Heated Crossview mirrors w/ blacked out upper band to reduce glare to driver _____
- Exterior electrical access panel, located below driver's sliding Window, w/ locking latch _____
- Roscoe 6" X 30" padded interior rearview mirror _____
- 6" X 30" tinted plexiglass sun visor with black vinyl padded edge, over LH front w/s _____
- Adjustable tinted Plexiglas sun visor over driver's window _____
- 5 lb. fire extinguisher with hose; floor mounted in driver's area _____
- First aid kit; bracket mounted on front header panel _____
- Emergency triangular warning device kit floor mounted In LH rear corner of the bus; against the rear wall _____
- Body-fluid clean up kit; bracket mounted on front header _____
- Locking Storage Box located above the driver's sliding window _____
- School lettering for belt line on both sides in 5" black vinyl letters, to read "ELDON R-1 SCHOOL DISTRICT" _____
- All other required lettering and fleet numbers in four places _____
- 3M Diamond Grade Reflective Tape extending down both sides, on the rear both vertically and horizontally and "SCHOOL BUS" lettering on front and rear – No Exceptions _____
- 2 Year Unlimited Mileage "Bumper to Bumper" Body & Chassis Warranty Parts & Labor included – Provide Warranty Documentation w/ bid No Exceptions _____

Eldon R-1 School District

Safety Tests:

*School bus must meet Colorado Rack test, Kentucky Pole test and Altoona testing. Documentation must be provided. Does your bus pass these tests? Y N

Optional Equipment

Locking Double Luggage Mid-Mount Curb Side With Gas Struts Minimum 28.0 CU.FT.

\$ Included In Price

REI Digital Bus-Watch Camera – 4 Channel “SD” Recording System w/ 32 GB SD Card and Two (2) Interior Cameras. A 6.0 Camera mounted in the front header panel facing rear, 2.8 Camera mounted in the rear header panel facing forward. A driver’s Indicator/event marker, cover shield & USB cable for down-loading

\$ Included In Price

New Bus Pricing

Cost of 2018 Type “C” 70 Passenger New “Gasoline Powered” School Bus \$ 80,350.00 Each

(With “ALL” Options Listed Above/Same Specs As 2 Previous Purchased Buses From CSBS.)

Approximate Delivery Date After Order Is Received 90-120 Days

Possible Trade In Buses

Bus #12 Blue Bird 2008 Approximately 131,000 Miles \$5,500.00

Bus # 6 Blue Bird 2007 Approximately 123,000 Miles \$3,500.00

Trade in amounts not reflected in above pricing.